



Warrnambool West
Primary School

GREAT SCHOOL | GREAT COMMUNITY | GREAT FUTURE

Contact us:

Hodde St, Warrnambool
Victoria 3280, Australia

Phone: 03 5561 3161

INFECTIOUS DISEASES

Policy and Procedure

Rationale:

Schools are expected to be safe and healthy places for staff and students to enjoy. Students with infectious diseases need to be managed in a manner that protects their privacy, maintains their health and dignity, and ensures the health and safety of all others.

Aims:

- To provide a safe and healthy workplace for all.

Implementation:

- The 'Schedule 7 Minimum Period of Exclusion from Primary Schools and Children's Services Centres for Infectious Diseases Cases and Contacts (Public Health and Wellbeing Regulations 2009)' [*School exclusion table \(See below\)*](#) outlines the minimum period of exclusion from schools for infectious diseases cases and any person who has been in contact with the infected person.
- The regulations require the parent/guardian to inform the Principal as soon as possible if the child is infected with any of the diseases listed in the table, or has been in contact with an infected person.
- Patients or contacts shall be prevented from attending school unless they comply with the conditions prescribed in the table.

It should be noted that in cases of diphtheria, typhoid and paratyphoid fever, exclusion and determination of recovery will be matters for the municipal medical officer of health.

'Contact' means child of school age or preschool age living in the same house as the patient or who has been in association with an infected person or a contaminated environment.

'Medical Certificate' means a certificate of a registered medical practitioner.

'Patient' includes carrier.

'School' includes any preschool centre, kindergarten, primary or secondary school.

Patients or contacts shall be prevented from attending school unless they comply with the conditions hereunder prescribed. It should be noted that during outbreaks of diseases prescribed in the table Principals are to direct parents/guardians of students who are not immunized to keep their children at home for the recommended period.


Further information can be obtained from:

www.eduweb.vic.gov.au/hrweb/ohs/health/healthd.htm

Evaluation:

- This policy will be reviewed as part of the school's review cycle.

Date: 26/02/2018	Responsibility: Council	School	Review Date: Feb 2021
------------------	----------------------------	--------	-----------------------



Minimum period of exclusion from primary schools and children's services centres for infectious diseases cases and contacts

health

Public Health and Wellbeing Regulations 2009

Schedule 7

Minimum Period of Exclusion from Primary Schools and Children's Services Centres for Infectious Diseases Cases and Contacts (*Public Health and Wellbeing Regulations 2009*).

In this Schedule, medical certificate means a certificate from a registered medical practitioner.

[1] Conditions	[2] Exclusion of cases	[3] Exclusion of Contacts
Amoebiasis (<i>Entamoeba histolytica</i>)	Exclude until there has not been a loose bowel motion for 24 hours	Not excluded
Campylobacter	Exclude until there has not been a loose bowel motion for 24 hours	Not excluded
Chickenpox	Exclude until all blisters have dried. This is usually at least 5 days after the rash appears in unimmunised children, but may be less in previously immunised children	Any child with an immune deficiency (for example, leukaemia) or receiving chemotherapy should be excluded for their own protection. Otherwise not excluded
Conjunctivitis	Exclude until discharge from eyes has ceased	Not excluded
Diarrhoea	Exclude until there has not been a loose bowel motion for 24 hours	Not excluded
Diphtheria	Exclude until medical certificate of recovery is received following at least two negative throat swabs, the first not less than 24 hours after finishing a course of antibiotics and the other 48 hours later	Exclude family/household contacts until cleared to return by the Secretary
Hand, Foot and Mouth disease	Exclude until all blisters have dried	Not excluded
Haemophilus influenzae type b (Hib)	Exclude until at least 4 days of appropriate antibiotic treatment has been completed	Not excluded
Hepatitis A	Exclude until a medical certificate of recovery is received, but not before 7 days after the onset of jaundice or illness	Not excluded
Hepatitis B	Exclusion is not necessary	Not excluded
Hepatitis C	Exclusion is not necessary	Not excluded
Herpes (cold sores)	Young children unable to comply with good hygiene practices should be excluded while the lesion is weeping. Lesions to be covered by dressing, where possible	Not excluded
Human immuno-deficiency virus infection (HIV/AIDS virus)	Exclusion is not necessary	Not excluded
Impetigo	Exclude until appropriate treatment has commenced. Sores on exposed surfaces must be covered with a watertight dressing	Not excluded
Influenza and influenza like illnesses	Exclude until well	Not excluded unless considered necessary by the Secretary
Leprosy	Exclude until approval to return has been given by the Secretary	Not excluded
Measles*	Exclude for at least 4 days after onset of rash	Immunised contacts not excluded. Unimmunised contacts should be excluded until 14 days after the first day of appearance of rash in the last case. If unimmunised contacts are vaccinated within 72 hours of their first contact with the first case, or received NHIG within 144 hours of exposure, they may return to the facility
Meningitis (bacteria – other than meningococcal meningitis)	Exclude until well	Not excluded
Meningococcal infection*	Exclude until adequate carrier eradication therapy has been completed	Not excluded if receiving carrier eradication therapy
Mumps*	Exclude for 9 days or until swelling goes down (whichever is sooner)	Not excluded
Pertussis* (Whooping cough)	Exclude the child for 21 days after the onset of cough or until they have completed 5 days of a course of antibiotic treatment	Contacts aged less than 7 years in the same room as the case who have not received three effective doses of pertussis vaccine should be excluded for 14 days after the last exposure to the infectious case, or until they have taken 5 days of a course of effective antibiotic treatment
Poliomyelitis*	Exclude for at least 14 days from onset. Re-admit after receiving medical certificate of recovery	Not excluded
Ringworm, scabies, pediculosis (head lice)	Exclude until the day after appropriate treatment has commenced	Not excluded
Rubella* (German measles)	Exclude until fully recovered or for at least four days after the onset of rash	Not excluded
Salmonella, Shigella	Exclude until there has not been a loose bowel motion for 24 hours	Not excluded
Severe Acute Respiratory Syndrome (SARS)	Exclude until medical certificate of recovery is produced	Not excluded unless considered necessary by the Secretary
Streptococcal infection (including scarlet fever)	Exclude until the child has received antibiotic treatment for at least 24 hours and the child feels well	Not excluded
Tuberculosis	Exclude until receipt of a medical certificate from the treating physician stating that the child is not considered to be infectious	Not excluded
Typhoid fever (including paratyphoid fever)	Exclude until approval to return has been given by the Secretary	Not excluded unless considered necessary by the Secretary
Verotoxin producing Escherichia coli (VTEC)	Exclude if required by the Secretary and only for the period specified by the Secretary	Not excluded
Worms (Intestinal)	Exclude until there has not been a loose bowel motion for 24 hours	Not excluded

.....